



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Indentation Deformation and Crack Resistance of Oxide Glasses

Invited Talk

Smedskjær, Morten Matstrup; Januchta, Kacper

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Smedskjær, M. M., & Januchta, K. (2018). *Indentation Deformation and Crack Resistance of Oxide Glasses: Invited Talk*. Abstract from 7th International Congress on Ceramics, Foz do Iguacu, Brazil.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Indentation Deformation and Crack Resistance of Oxide Glasses

Smedskjaer, M.M.(1); Januchta, K.(2);

(1) M. M. S.; (2) K. J.;

Keywords: indentation, deformation, densification, crack resistance, oxide glasses

Abstract:

Improving the fracture resistance of oxide glasses through adjustment of the chemical composition remains a challenging task, although composition-mechanical property relations have been established for simple model systems. The glass mechanical properties are, among other methods, conventionally tested using instrumented indentation, which is a fast and convenient technique that mimics the real-life damage for certain applications. Early indentation experiments have shown that oxide glasses exhibit pronounced tendency to densify under compressive load compared to metals and ceramics. After decades of investigations, it is now known that the extent of densification is strongly dependent on the glass' chemical composition and in turn its atomic packing density and Poisson's ratio. Spectroscopic techniques have shed light on the mechanism of densification, which include changes in the bond angle distributions as well as increase in the coordination number of the network-forming cations. Knowledge of such details is crucial for understanding the link between chemical composition and resistance to cracking in oxide glasses, since densification is an efficient way to dissipate the elastic energy applied to the material during indentation. Here, we review the experimental work on identification and quantification of densification in glasses, as well as on probing the accompanying structural changes in the glassy network. We also review the outcomes of computer simulations of indentation deformation mechanisms in glasses. Finally, we discuss the correlation between the mechanism of deformation and the crack resistance.